

Technical data sheet

TP wall and ceiling bracket

Item no. 6365977



TP wall and ceiling bracket with clamping lugs for screwless mesh cable tray fastening.



St	Steel
FT	Hot-dip galvanised

Additional product text, instruction	If the bracket is fastened directly to the wall or ceiling, then, for reasons of stability, always use the spacer, type DS 4. Max. side height of the cable support system 60 mm.
--------------------------------------	--

Master data

Item no.	6365977
Type	TPDG 145 FT
Description 1	Wall and ceiling strap
Description 2	for mesh cable tray
Dimension	B145mm
Material	Steel
Material symbol	St
Surface	Hot-dip galvanised
Surface to DIN	DIN EN ISO 1461
Surface symbol	FT
Smallest sales unit (VG)	6,00 Piece
Weight	55,00 kg/100 pc.


Technical data sheet

TP wall and ceiling bracket

Item no. 6365977



Technical data



Width	145,00 mm
Dimension B	145,00 mm
Dimension L	50,00 mm
Version	Suspension bracket (C clamp)
F in ceiling	1,30 kN
F in kN wall	1,40 kN
for width	100,00 - 100,00 mm
Suitable for tray/ladder width	100,00 mm
Suitable for maintaining electrical function	<input type="checkbox"/>
Suitable for cable tray	<input type="checkbox"/>
Suitable for cable ladder	<input type="checkbox"/>
Suitable for mesh cable tray	<input checked="" type="checkbox"/>

Appr. load:

Anchor, approved F 1.65	1,65 kN
Anchor, approved F 3.57	3,57 kN

Technical data sheet

TP wall and ceiling bracket

Item no. 6365977



Technical data

Appr. load:

Technical data sheet

TP wall and ceiling bracket

Item no. 6365977



Technical data

Appr. load: