


Kolano bosc Geberit Mapress Edelstahl



Ilustracja przykładowa



DANE TECHNICZNE

Materiał Stal CrNiMo 1.4401 (EN 10088)

Nr art.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm	PLN netto	PLN brutto
Ten artykuł pasuje do systemu: Geberit Mapress Therm									
30892	12	15	15	4	11	0	7	64,05	78,78
30893	15	18	15	4	11.2	0	7.1	65,05	80,01
30894	20	22	15	4.1	11.4	0	7.3	69,00	84,87
30905	25	28	15	4.3	11.9	0	7.6	87,45	107,56
30906	32	35	15	4.1	11.8	0	7.7	146,70	180,44
30907	40	42	15	4.7	13.7	0	9	184,80	227,30

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30908	50	54	15	5.5	14.9	0	9.4	244,55	300,80
30009	65	76.1	15	8.4	20.4	0	12	709,25	872,38
30010	80	88.9	15	9.5	22	0	12.5	822,30	1'011,43
30011	100	108	15	11.7	25.4	0	13.7	1'127,65	1'387,01
30932	12	15	30	4.3	11.3	0	7	64,05	78,78
30933	15	18	30	4.4	11.6	0	7.1	65,05	80,01
30934	20	22	30	4.6	11.8	0	7.2	69,00	84,87
30935	25	28	30	4.8	12.4	0	7.6	87,45	107,56
30936	32	35	30	4.6	12.3	0	7.7	146,70	180,44
30937	40	42	30	5.4	14.4	0	9	184,80	227,30
30938	50	54	30	6.3	15.7	0	9.4	244,55	300,80
30029	65	76.1	30	9.7	21.7	0	12	709,25	872,38
30030	80	88.9	30	11.1	23.6	0	12.5	822,30	1'011,43

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30031	100	108	30	13.6	27.3	0	13.7	1'127,65	1'387,01
30872	12	15	45	4.5	11.6	0	7.1	64,05	78,78
30873	15	18	45	4.2	11.7	0	7.5	65,05	80,01
30874	20	22	45	5.2	12.3	0	7.1	69,00	84,87
30875	25	28	45	5.6	13.1	0	7.5	87,45	107,56
30876	32	35	45	5.3	12.9	0	7.6	146,70	180,44
30877	40	42	45	6.1	15.1	0	9	184,80	227,30
30878	50	54	45	7.3	16.7	0	9.4	244,55	300,80
30049	65	76.1	45	11.1	23	0	11.9	709,25	872,38
30050	80	88.9	45	13	25.2	0	12.2	822,30	1'011,43
30051	100	108	45	15.7	29.4	0	13.7	1'127,65	1'387,01
30942	12	15	60	5	12	0	7	64,05	78,78
30943	15	18	60	5.3	12.4	0	7.1	65,05	80,01

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30944	20	22	60	5.6	12.8	0	7.2	69,00	84,87
30955	25	28	60	6.1	13.7	0	7.6	87,45	107,56
30956	32	35	60	5.9	13.6	0	7.7	146,70	180,44
30957	40	42	60	6.9	15.9	0	9	184,80	227,30
30958	50	54	60	8.3	17.7	0	9.4	244,55	300,80
30069	65	76.1	60	12.6	24.6	0	12	709,25	872,38
30070	80	88.9	60	14.6	27.1	0	12.5	822,30	1'011,43
30071	100	108	60	18	31.7	0	13.7	1'127,65	1'387,01
30402	12	15	90	5.9	12.9	0	7	60,95	74,97
30403	15	18	90	6.1	13.3	0	7.2	61,80	76,01
30404	20	22	90	7	14.2	0	7.2	69,00	84,87
30405	25	28	90	7.9	15.5	0	7.6	87,45	107,56
30406	32	35	90	7.7	15.4	0	7.7	139,85	172,02

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30407	40	42	90	9	18	0	9	184,80	227,30
30408	50	54	90	11.1	20.5	0	9.4	244,55	300,80
30089	65	76.1	90	16.6	28.6	0	12	709,25	872,38
30090	80	88.9	90	19.4	31.9	0	12.5	822,30	1'011,43
30091	100	108	90	24	37.7	0	13.7	1'127,65	1'387,01

Ten artykuł pasuje do systemu: **Geberit Mapress stal nierdzewna**

30892	12	15	15	4	11	0	7	64,05	78,78
30893	15	18	15	4	11.2	0	7.1	65,05	80,01
30894	20	22	15	4.1	11.4	0	7.3	69,00	84,87
30905	25	28	15	4.3	11.9	0	7.6	87,45	107,56
30906	32	35	15	4.1	11.8	0	7.7	146,70	180,44
30907	40	42	15	4.7	13.7	0	9	184,80	227,30
30908	50	54	15	5.5	14.9	0	9.4	244,55	300,80

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30009	65	76.1	15	8.4	20.4	0	12	709,25	872,38
30010	80	88.9	15	9.5	22	0	12.5	822,30	1'011,43
30011	100	108	15	11.7	25.4	0	13.7	1'127,65	1'387,01
30932	12	15	30	4.3	11.3	0	7	64,05	78,78
30933	15	18	30	4.4	11.6	0	7.1	65,05	80,01
30934	20	22	30	4.6	11.8	0	7.2	69,00	84,87
30935	25	28	30	4.8	12.4	0	7.6	87,45	107,56
30936	32	35	30	4.6	12.3	0	7.7	146,70	180,44
30937	40	42	30	5.4	14.4	0	9	184,80	227,30
30938	50	54	30	6.3	15.7	0	9.4	244,55	300,80
30029	65	76.1	30	9.7	21.7	0	12	709,25	872,38
30030	80	88.9	30	11.1	23.6	0	12.5	822,30	1'011,43
30031	100	108	30	13.6	27.3	0	13.7	1'127,65	1'387,01

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30872	12	15	45	4.5	11.6	0	7.1	64,05	78,78
30873	15	18	45	4.2	11.7	0	7.5	65,05	80,01
30874	20	22	45	5.2	12.3	0	7.1	69,00	84,87
30875	25	28	45	5.6	13.1	0	7.5	87,45	107,56
30876	32	35	45	5.3	12.9	0	7.6	146,70	180,44
30877	40	42	45	6.1	15.1	0	9	184,80	227,30
30878	50	54	45	7.3	16.7	0	9.4	244,55	300,80
30049	65	76.1	45	11.1	23	0	11.9	709,25	872,38
30050	80	88.9	45	13	25.2	0	12.2	822,30	1'011,43
30051	100	108	45	15.7	29.4	0	13.7	1'127,65	1'387,01
30942	12	15	60	5	12	0	7	64,05	78,78
30943	15	18	60	5.3	12.4	0	7.1	65,05	80,01
30944	20	22	60	5.6	12.8	0	7.2	69,00	84,87

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30955	25	28	60	6.1	13.7	0	7.6	87,45	107,56
30956	32	35	60	5.9	13.6	0	7.7	146,70	180,44
30957	40	42	60	6.9	15.9	0	9	184,80	227,30
30958	50	54	60	8.3	17.7	0	9.4	244,55	300,80
30069	65	76.1	60	12.6	24.6	0	12	709,25	872,38
30070	80	88.9	60	14.6	27.1	0	12.5	822,30	1'011,43
30071	100	108	60	18	31.7	0	13.7	1'127,65	1'387,01
30402	12	15	90	5.9	12.9	0	7	60,95	74,97
30403	15	18	90	6.1	13.3	0	7.2	61,80	76,01
30404	20	22	90	7	14.2	0	7.2	69,00	84,87
30405	25	28	90	7.9	15.5	0	7.6	87,45	107,56
30406	32	35	90	7.7	15.4	0	7.7	139,85	172,02
30407	40	42	90	9	18	0	9	184,80	227,30

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30408	50	54	90	11.1	20.5	0	9.4	244,55	300,80
30089	65	76.1	90	16.6	28.6	0	12	709,25	872,38
30090	80	88.9	90	19.4	31.9	0	12.5	822,30	1'011,43
30091	100	108	90	24	37.7	0	13.7	1'127,65	1'387,01

Ten artykuł pasuje do systemu: **Geberit Mapress stal nierdzewna (FKM niebieski)**

30892	12	15	15	4	11	0	7	64,05	78,78
30893	15	18	15	4	11.2	0	7.1	65,05	80,01
30894	20	22	15	4.1	11.4	0	7.3	69,00	84,87
30905	25	28	15	4.3	11.9	0	7.6	87,45	107,56
30906	32	35	15	4.1	11.8	0	7.7	146,70	180,44
30907	40	42	15	4.7	13.7	0	9	184,80	227,30
30908	50	54	15	5.5	14.9	0	9.4	244,55	300,80
30009	65	76.1	15	8.4	20.4	0	12	709,25	872,38

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30010	80	88.9	15	9.5	22	0	12.5	822,30	1'011,43
30011	100	108	15	11.7	25.4	0	13.7	1'127,65	1'387,01
30932	12	15	30	4.3	11.3	0	7	64,05	78,78
30933	15	18	30	4.4	11.6	0	7.1	65,05	80,01
30934	20	22	30	4.6	11.8	0	7.2	69,00	84,87
30935	25	28	30	4.8	12.4	0	7.6	87,45	107,56
30936	32	35	30	4.6	12.3	0	7.7	146,70	180,44
30937	40	42	30	5.4	14.4	0	9	184,80	227,30
30938	50	54	30	6.3	15.7	0	9.4	244,55	300,80
30029	65	76.1	30	9.7	21.7	0	12	709,25	872,38
30030	80	88.9	30	11.1	23.6	0	12.5	822,30	1'011,43
30031	100	108	30	13.6	27.3	0	13.7	1'127,65	1'387,01
30872	12	15	45	4.5	11.6	0	7.1	64,05	78,78

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30873	15	18	45	4.2	11.7	0	7.5	65,05	80,01
30874	20	22	45	5.2	12.3	0	7.1	69,00	84,87
30875	25	28	45	5.6	13.1	0	7.5	87,45	107,56
30876	32	35	45	5.3	12.9	0	7.6	146,70	180,44
30877	40	42	45	6.1	15.1	0	9	184,80	227,30
30878	50	54	45	7.3	16.7	0	9.4	244,55	300,80
30049	65	76.1	45	11.1	23	0	11.9	709,25	872,38
30050	80	88.9	45	13	25.2	0	12.2	822,30	1'011,43
30051	100	108	45	15.7	29.4	0	13.7	1'127,65	1'387,01
30942	12	15	60	5	12	0	7	64,05	78,78
30943	15	18	60	5.3	12.4	0	7.1	65,05	80,01
30944	20	22	60	5.6	12.8	0	7.2	69,00	84,87
30955	25	28	60	6.1	13.7	0	7.6	87,45	107,56

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30956	32	35	60	5.9	13.6	0	7.7	146,70	180,44
30957	40	42	60	6.9	15.9	0	9	184,80	227,30
30958	50	54	60	8.3	17.7	0	9.4	244,55	300,80
30069	65	76.1	60	12.6	24.6	0	12	709,25	872,38
30070	80	88.9	60	14.6	27.1	0	12.5	822,30	1'011,43
30071	100	108	60	18	31.7	0	13.7	1'127,65	1'387,01
30402	12	15	90	5.9	12.9	0	7	60,95	74,97
30403	15	18	90	6.1	13.3	0	7.2	61,80	76,01
30404	20	22	90	7	14.2	0	7.2	69,00	84,87
30405	25	28	90	7.9	15.5	0	7.6	87,45	107,56
30406	32	35	90	7.7	15.4	0	7.7	139,85	172,02
30407	40	42	90	9	18	0	9	184,80	227,30
30408	50	54	90	11.1	20.5	0	9.4	244,55	300,80

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30089	65	76.1	90	16.6	28.6	0	12	709,25	872,38
30090	80	88.9	90	19.4	31.9	0	12.5	822,30	1'011,43
30091	100	108	90	24	37.7	0	13.7	1'127,65	1'387,01

Ten artykuł pasuje do systemu: **Geberit Mapress stal nierdzewna (gaz)**

30892	12	15	15	4	11	0	7	64,05	78,78
30893	15	18	15	4	11.2	0	7.1	65,05	80,01
30894	20	22	15	4.1	11.4	0	7.3	69,00	84,87
30905	25	28	15	4.3	11.9	0	7.6	87,45	107,56
30906	32	35	15	4.1	11.8	0	7.7	146,70	180,44
30907	40	42	15	4.7	13.7	0	9	184,80	227,30
30908	50	54	15	5.5	14.9	0	9.4	244,55	300,80
30009	65	76.1	15	8.4	20.4	0	12	709,25	872,38
30010	80	88.9	15	9.5	22	0	12.5	822,30	1'011,43

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30011	100	108	15	11.7	25.4	0	13.7	1'127,65	1'387,01
30932	12	15	30	4.3	11.3	0	7	64,05	78,78
30933	15	18	30	4.4	11.6	0	7.1	65,05	80,01
30934	20	22	30	4.6	11.8	0	7.2	69,00	84,87
30935	25	28	30	4.8	12.4	0	7.6	87,45	107,56
30936	32	35	30	4.6	12.3	0	7.7	146,70	180,44
30937	40	42	30	5.4	14.4	0	9	184,80	227,30
30938	50	54	30	6.3	15.7	0	9.4	244,55	300,80
30029	65	76.1	30	9.7	21.7	0	12	709,25	872,38
30030	80	88.9	30	11.1	23.6	0	12.5	822,30	1'011,43
30031	100	108	30	13.6	27.3	0	13.7	1'127,65	1'387,01
30872	12	15	45	4.5	11.6	0	7.1	64,05	78,78
30873	15	18	45	4.2	11.7	0	7.5	65,05	80,01

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30874	20	22	45	5.2	12.3	0	7.1	69,00	84,87
30875	25	28	45	5.6	13.1	0	7.5	87,45	107,56
30876	32	35	45	5.3	12.9	0	7.6	146,70	180,44
30877	40	42	45	6.1	15.1	0	9	184,80	227,30
30878	50	54	45	7.3	16.7	0	9.4	244,55	300,80
30049	65	76.1	45	11.1	23	0	11.9	709,25	872,38
30050	80	88.9	45	13	25.2	0	12.2	822,30	1'011,43
30051	100	108	45	15.7	29.4	0	13.7	1'127,65	1'387,01
30942	12	15	60	5	12	0	7	64,05	78,78
30943	15	18	60	5.3	12.4	0	7.1	65,05	80,01
30944	20	22	60	5.6	12.8	0	7.2	69,00	84,87
30955	25	28	60	6.1	13.7	0	7.6	87,45	107,56
30956	32	35	60	5.9	13.6	0	7.7	146,70	180,44

<i>Nr art.</i>	<i>DN</i>	<i>d_g mm</i>	<i>arc °</i>	<i>H cm</i>	<i>H1 cm</i>	<i>K cm</i>	<i>K1 maks. cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30957	40	42	60	6.9	15.9	0	9	184,80	227,30
30958	50	54	60	8.3	17.7	0	9.4	244,55	300,80
30069	65	76.1	60	12.6	24.6	0	12	709,25	872,38
30070	80	88.9	60	14.6	27.1	0	12.5	822,30	1'011,43
30071	100	108	60	18	31.7	0	13.7	1'127,65	1'387,01
30402	12	15	90	5.9	12.9	0	7	60,95	74,97
30403	15	18	90	6.1	13.3	0	7.2	61,80	76,01
30404	20	22	90	7	14.2	0	7.2	69,00	84,87
30405	25	28	90	7.9	15.5	0	7.6	87,45	107,56
30406	32	35	90	7.7	15.4	0	7.7	139,85	172,02
30407	40	42	90	9	18	0	9	184,80	227,30
30408	50	54	90	11.1	20.5	0	9.4	244,55	300,80
30089	65	76.1	90	16.6	28.6	0	12	709,25	872,38

<i>Nr art.</i>	<i>DN</i>	<i>d_g</i> <i>mm</i>	<i>arc</i> <i>°</i>	<i>H</i> <i>cm</i>	<i>H1</i> <i>cm</i>	<i>K</i> <i>cm</i>	<i>K1 maks.</i> <i>cm</i>	<i>PLN netto</i>	<i>PLN brutto</i>
30090	80	88.9	90	19.4	31.9	0	12.5	822,30	1'011,43
30091	100	108	90	24	37.7	0	13.7	1'127,65	1'387,01