

Specyfikacje



Eaton 149152

Eaton xEnergy Basic LV systems Low voltage switchgear. Surface-mount service distribution board with three-point turn-lock, mounting side panel, W = 600 mm, H = 760 mm

General specifications

PRODUCT NAME	Eaton xEnergy Basic small distribution board
CATALOG NUMBER	149152
EAN	4015081454785
PRODUCT LENGTH/DEPTH	280 mm
PRODUCT HEIGHT	775 mm
PRODUCT WIDTH	615 mm
PRODUCT WEIGHT	20.4 kg
COMPLIANCES	RoHS conform
MODEL CODE	BP-O-600/7-PSN



Delivery program

TYPE	Basic device
APPLICATION	Indoor (installation site) Mounting side wall
COLOR	Gray

Technical data - mechanical

CLOSURE TYPE	Other
SURFACE FINISHING	With powder coating
ENCLOSURE MATERIAL	Steel

Light gray (RAL 7035)

WIDTH IN NUMBER OF MODULAR SPACINGS	24
MOUNTING METHOD	Surface mounted (plaster) Surface mounting
MATERIAL	Sheet steel
NUMBER OF ROWS	4
BUILT-IN DEPTH	280 mm
BUILT-IN HEIGHT	775 mm
BUILT-IN WIDTH	615 mm
COVER/DOOR MODEL	Closed
COVER/DOOR TYPE	Door Three-point turn-lock Single

Temperature-rise verification as per IEC 60890

**HEAT DISS. AMBIENT
35°C DELTA T: 20°C WALL
MOUNT MIDDLE ENCL.
TOP (IEC 60890)** 62 W

**HEAT DISS. AMBIENT
35°C DELTA T: 35°C WALL
MOUNT MIDDLE ENCL.
TOP (IEC 60890)** 125 W

**HEAT DISS. AMBIENT
35°C DELTA T: 20°C WALL
MOUNT INDIVID. ENCL.
TOP (IEC 60890)** 70 W

**HEAT DISS. AMBIENT
35°C DELTA T: 20°C WALL
MOUNT STARTING ENCL.
TOP (IEC 60890)** 66 W

**HEAT DISS. AMBIENT
35°C DELTA T: 35°C WALL
MOUNT INDIVID. ENCL.
TOP (IEC 60890)** 141 W

**HEAT DISS. AMBIENT
35°C DELTA T: 35°C WALL
MOUNT STARTING ENCL.
TOP (IEC 60890)** 133 W

Design verification as per IEC/EN 61439

10.2.2 CORROSION RESISTANCE Meets the product standard's requirements.

10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES Meets the product standard's requirements.

10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT Meets the product standard's requirements.

10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS Meets the product standard's requirements.

10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION Not relevant to indoor installations.

10.2.5 LIFTING Does not apply to enclosures without lifting aids.

10.2.6 MECHANICAL IMPACT IK07

10.2.7 INSCRIPTIONS Meets the product standard's requirements.

10.3 DEGREE OF PROTECTION OF ASSEMBLIES IP30

10.4 CLEARANCES AND CREEPAGE DISTANCES Is the panel builder's responsibility.

10.5 PROTECTION AGAINST ELECTRIC SHOCK < 0.1 Ω; meets the product standard's requirements.

10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS Is the panel builder's responsibility.

10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS Is the panel builder's responsibility.

10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS Is the panel builder's responsibility.

10.9.2 POWER- $U_i = 440 \text{ V AC}$

FREQUENCY ELECTRIC STRENGTH**10.9.3 IMPULSE WITHSTAND VOLTAGE** 4 kV**10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL** Does not apply to metal enclosures.**10.10 TEMPERATURE RISE** The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.**10.11 SHORT-CIRCUIT RATING** Is the panel builder's responsibility.**10.12 ELECTROMAGNETIC COMPATIBILITY** Is the panel builder's responsibility.**10.13 MECHANICAL FUNCTION** Meets the product standard's requirements.**Additional information**

FEATURES	EMC-version
FUNCTIONS	Basic device Extension possible
RAL-NUMBER	7035

Zasoby**BROSZURY** [eaton-xenergy-basic-light-brochure-br014024-en-us.pdf](#)**DEKLARACJE ZGODNOŚCI** [DA-DC-03_xEnergy_Basic_BP](#)**DWG** [eaton-low-voltage-switch-gear-dimensions-1230dim-434.eps](#)**INFORMACJE HANDLOWE** [eaton-f3a-flange-flyer-fl019005en-en-us.pdf](#)**KATALOGI** [eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf](#)**MCAD MODEL** [eaton-cadenas-front_view_bp_0_msw_7_v_front.pra](#)
[DA-CS-bp_0_msw_7](#)
[eaton-cadenas-path-media_assets-assemblies_bp_0_msw_7_asmtpl.pri](#)
[eaton-cadenas-side_view_bp_0_msw_7_s_side.pra](#)
[DA-CD-bp_0_msw_7](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATA:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Irlandia
Eaton.com

© 2025 Eaton. Wszelkie
prawa zastrzeżone.

Eaton jest zarejestrowanym
znakiem towarowym.

Wszystkie inne znaki towarowe są
własnością odpowiednich firm.

Follow us on social media to get the latest
product and support information.

